Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(annotat\$4 with (program source)) and directive and (memory with	US-PGPUB	OR	ON	2005/10/17 10:40
L2	85	fixed) (annotat\$4 with (program source)) and (memory with fixed)	US-PGPUB	OR	ON	2005/10/17 10:54
L3	0-	2 and (objects near2 fixed)	US-PGPUB	OR +	ON	2005/10/17 10:55
L4	13	2 and compiler	US-PGPUB	OR	ON	2005/10/17 10:55
S 1	7	(memory with pag\$3) and allocat\$3 and (OMS OR (object adj management adj system)) and compil\$3 and directives	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	.2005/10/17-10:39
S2	19	(pag\$3) and allocat\$3 and (OMS OR (object adj management adj system)) and compil\$3 and directives	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:55
S3	17	S2 and usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2004/11/12-11:47
S4	8	paging and allocat\$3 and (OMS OR (object adj management adj system)) and compil\$3 and directives	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:56
S5	559	paging same allocat\$3 same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:56
S6	3	S5 and ((annotat\$4 OR directives) with code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:58
S7	98	S5 and (source adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON-	2004/11/12-11:59
S8	75	S7 and static	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 11:59

S9	57	S8 and ((plac\$3 OR insert\$3 OR add\$3 OR annotat\$3) with code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:00
S10	12	S9 and (limited with memory)	US-PGPUB; USPAT;	OR	ON	2004/11/12 12:29
			EPO; JPO; DERWENT; IBM_TDB			
S11	24	hardware adj caching	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:30
S12	5	S11 and (source adj code)	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2004/11/12 12:35
			DERWENT; IBM_TDB			
S13	285	(source adj code) with (annotat\$3 OR directives)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:35
S14	14	S13 and constant and volatile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÖN	-2004/11/12-12:49
S15	1016	estimat\$4 near3 usage	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:50
S16	60	S15 and (source adj code)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:50
S17	56	S16 and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:50
S18	42	S17 and compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:50

					-	
S19	40	S18 and allocat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 12:50
S20	37	S19 and (annotat\$4 OR directives)	US-PGPUB;	OR	ON	2004/11/12 12:55
			USPAT;			
			EPO; JPO; DERWENT; IBM_TDB			
S21	2272	(data with constant) and (data with volatile) and memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:08
S22	196	S21 and (source adj code)	US-PGPUB;	OR	ON	2004/11/12 13:08
			USPAT;			
			EPO; JPO; DERWENT;		en e	
			IBM_TDB			
S23	25	S22 and static and overlay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 13:43
S24	225	717/158.ccls	US-PGPUB;	OR	ON	2004/11/12 13:50
			USPAT;			
			EPO; JPO; DERWENT; IBM_TDB			
S25	29	S24 and (divid\$3 with program)	US-PGPUB;	OR	ON	2004/11/12 13:50
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
S27	4	S25 and compiler and (allocat\$3	US-PGPUB;	OR	ON	2004/11/12 13:47
	-	with (memory or cache))	USPAT; EPO; JPO;			
			DERWENT;			
			IBM_TDB			
S28	85	717/135.ccls.	US-PGPUB; USPAT;	OR	ON	2004/11/12 13:50
			EPO; JPO; DERWENT; IBM_TDB			
S30	10	S28 and (divid\$3 with program)	US-PGPUB;	OR	ON	2004/11/12 13:51
			USPAT; EPO; JPO; DERWENT; IBM_TDB	:	-	

1	ı					
S31	37	("4847755" "4914590" "4947315" "5014185" "5021945"	US-PGPUB; USPAT;	OR	ON	2004/11/12 14:20
		"5179703" "5193180"	USOCR			
		"5212794" "5265254" "5333304"				
		"5335344" "5355487"				
		"5412799" "5428782" "5428793"				
		"5450586" "5465258" "5485616" "5517628" "5522036"				
		"5535329" "5539907"				
		"5555417" "5606698" "5689712"				
		"5787284" "5797012" "5797013" "5812854").PN. OR				
		("6029004").URPN.				
S32	57	("5212794").URPN.	USPAT	OR	ON :	2004/11/12 14:35
S33	39584	(test OR sequence) with vector	USPAT	OR	ON	2004/11/12 14:36
S34	1042	S33 and memory and cache	USPAT	OR	ON	2004/11/12 14:36
S35	118	S34 and (divid\$3 with (program OR	USPAT	OR	ON	2004/11/12 15:27
	20	code OR source))	HUICHATE TO SE	00	ON	2004/43/42 44-27
S36	28	S35 and platform	USPAT	OR	ON	2004/11/12 14:37
S37	27	S34 and "717".clas.	USPAT	OR	ON	2004/11/12 15:26
S38		static adj caching	USPAT	OR	ON	2004/11/12 15:26
S40	27	S34 and "717".clas.	US-PGPUB;	OR	ON	2004/11/12 15:26
			USPAT; USOCR;			
			EPO; JPO;			
			DERWENT;			
. 45 .			IBM_TDB		or <u>adı</u> nı dürri	
S41	20	static adj caching	US-PGPUB; USPAT;	OR-	ON	2004/11/12 15:33
			EPO; JPO;			
			DERWENT;			
:			IBM_TDB	Chr. Sec.		
S42	106	(profile with data with frequency)	US-PGPUB;	OR	ON	2004/11/12 15:35
		same memory	USPAT; EPO; JPO;			
			DERWENT;			
			IBM_TDB			
S43	9	S42 and paging	US-PGPUB;	OR	ON	2004/11/12 15:41
			USPAT; EPO; JPO;		م بند	29
			DERWENT;			
			IBM_TDB			
S44	24047	fast with memory	US-PGPUB;	OR	ON	2004/11/12 15:41
			USPAT;			
			EPO; JPO; DERWENT;			
			IBM_TDB			

S45	8156	fast near2 memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:41
S46	382	S45 and source adj code	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:41
S47	83	S46 and directives	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:42
S48		S47 and annotat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:42
S49	67	S47 and compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:42
S50	28.	S49 and compiler with directives	US PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	*OR	ON	2004/11/12 15:43
S51	28	S50 and (usage OR frequenc\$3 OR estimat\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/12 15:43
S52	7357	"717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:47
S53	1060	S52 and (cache with memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:48
S54	16	S53 and directive and annotat\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 10:50

S55	16	S54 and compil\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2004/11/15 11:27
S56	392	S53 and compiler and (frequency OR usage)	IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 11:27
S57	21	S56 and (assign\$3 with cache)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 12:22
S58	35	S52 and (execut\$3 with frequenc\$3) and cache and (compiler with insert\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 12:24
S59	26	S58 and 717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 12:30
S60	5	S59 and directive	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 12:30
S61	26	("5752038").URPN.	USPAT	OR	ON	2004/11/15 12:32
S62	5	("20020100018" "20030028686" "5752038" "5933635" "6463582").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2004/11/15 12:33
S63	1236	717/151-161.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:06
S64	34	S63 and (first adj computer) and (second adj computer) and compiler	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:48
S65	14	S64 and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:50

S66	4	S63 and (program with re\$1ordering) and ((second adj computer) OR (client and server))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 17:51
S67	502	S63 and (static)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:07
S68	99	S63 and (static with object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:07
S69	20	S63 and (static with object with (defin\$5 OR designat\$4 OR set\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ΘN	2004/11/15 18:39
S70	0	S63 and (static with overlay)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:40
S71	171	overlay adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15:18:40
S72	1	S71 and (static adj object)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/15 18:40
S73	84	(dynamic\$3 near3 paging) same memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:54
S74	46	S73 and static	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:54
S75	41	S74 and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/16 09:54

S76	0	S75 and "717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2004/11/16 09:54
S77	12	(US-20010049818-\$ or US-20030088860-\$).did. or (US-5212794-\$ or US-5530964-\$ or	IBM_TDB US-PGPUB; USPAT	OR	ON	2004/11/16 10:01
		US-5752038-\$ or US-5889996-\$ or US-5937191-\$ or US-6029004-\$ or US-6292934-\$ or US-6631652-\$ or US-6631518-\$ or US-6634023-\$).				
S78	6	did. S77 and dynamic\$4	US-PGPUB; USPAT	OR	ON	2004/11/16 10:33
S79	1242	717/151-161.ccls.	US-PGPUB; USPAT	OR	ON -	2004/11/16 10:33
S80	70	S79 and (dynamic\$4 with allocat\$3) and static	US-PGPUB; USPAT	OR	ON	2004/11/16 10:33
S81	19	S79 and (dynamic\$4 with allocat\$3) and ((static OR non\$1dynamic\$3)	US-PGPUB; USPAT	OR	ON	2004/11/16 10:34
S82	10	with allocat\$3) S81 and cache	US-PGPUB; USPAT	OR	ON	2004/11/16 10:34
S83	169	(source adj code) with directives	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OÑ	2005/06/09 12:35
S84	18	S83 and (annotat\$4 near2 code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:46
\$85	0	S84 and constant and volatile	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:36
S86	13	S84 and pag\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:47

S87	0	S84 and paging	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:47
\$88	10	S83 and paging	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/09 12:50
S89	647	(fixed near2 memory) near2 location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 15:40
S90	8	S89 and 717/140-161.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 15:41
S91	2717	717/140-161.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/13 15:59
S92	1	S91 and (overlay near3 object)	US-PGPUB;	OR	ON	2005/10/13 15:59
			USPAT; USOCR; EPO; JPO; DERWENT;			
-1.1			IBM_TDB		ON.	
S93	9478	"717".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:13
S94	42	S93 and (execut\$3 with frequenc\$3) and cache and (compiler with insert\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:13
S95	349	(source adj code) with (annotat\$3 OR directives)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:14

S96	26	S95 and constant and volatile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:20
S97	255	717/159.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:21
S98	19	S97 and ((annotat\$4 directive) with source)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/10/14 18:21